



Women's Pioneer Housing

Title	The Management of Asbestos Policy
Issue Date	July 2017
Effective date	July 2017
Document Owner	Roger Barton
Post of Document Owner	Asset Manager
Date approved by SMT	July 2017
Date approved by Board	July 2017
Version number	1.0
Date of next review	July 2019
Related Corporate Policy Objective(s)	Objectives 1,2,3

THE MANAGEMENT OF ASBESTOS POLICY

1. Introduction

Women's Pioneer Housing (WPH) acknowledges that it has a duty of care to all residents, visitors and contractors within its buildings. This policy outlines our approach to the management of asbestos within the buildings that WPH owns and manages, including those owned by Women's Pioneer Homes.

Where the presence of asbestos containing materials has been identified, we will record the type, location and condition. A risk assessment will be carried out to determine whether it should be removed or remain in place and be monitored. Where there is any statutory obligation, WPH will endeavour to comply with all the requirements.

This policy is supported by the asbestos management plan.

2. Legislation

The following legislation and guidance was referred to in preparing this policy:

- The Health and safety at Work Act (1974)
- The Management of Health and Safety at Work Regulations (1999)
- The Control of Asbestos Regulations (2012)

- The Asbestos (Licensing) (Amendment) Regulations (1998)
- The Hazardous Waste (England and Wales) (Amendment) Regulations 2009
- Construction (Design and Management) Regulations 2015
- Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995

3. The Duty Holder.

The duty holder for the management of asbestos is the owner of the premises. Within WPH, this is considered to be the Chief Executive. Day to day responsibility is delegated to the Director of Property and Estate Services who will nominate a member of the property team to be the 'responsible person'.

4. Policy

4.1 Policy statement.

WPH acknowledges the health hazards associated with asbestos and will reduce the risk to tenants, visitors, contractor's and staff of exposure, through the use of proper control measures and work methods'. WPH recognises its responsibilities under the Control of Asbestos Regulations (2012).

4.2. Categorisation by buildings

No new buildings or extensions to existing buildings will contain asbestos materials. ACMs in existing buildings shall be managed in accordance with their risk assessment rating as stated in the asbestos survey information. The rating has been determined in accordance with HSG264 'Asbestos: The Survey Guide', Surveying, sampling and assessment of asbestos-containing materials'.

4.3. Surveys and inspections.

Management surveys will be carried out by a United Kingdom Accreditation Service (UKAS) accredited laboratory in the common areas of all buildings together with a sample of tenanted dwellings. It will not include leasehold properties as this is the responsibility of the leaseholder.

Refurbishment and Demolition surveys will be carried out by a UKAS accredited laboratory prior to the start of any major or intrusive works.

An annual inspection of any ACMs remaining within a building will be carried out by WPH staff. Any change in the condition of the material will then be recorded and re-assessed. The weekly inspection of the communal areas will also incorporate an inspection of the condition of any ACM's within these areas.

4.4. The Asbestos Register.

An asbestos register will be maintained and include relevant information such as:

- Site name
- Survey date
- Item number
- Location of ACMs
- Accessibility
- Installation type
- Asbestos type
- Condition
- Surface treatment
- Risk assessment
- Remedial Actions / dates
- Extent

4.5. Working with asbestos

Any work with asbestos containing materials will be done in accordance with the Control of Asbestos Regulations (2012). Only contractors licensed under the Asbestos (Licensing) (Amendment) Regulation (1998) will be engaged to work with insulation, spray coatings and asbestos insulating board (AIB's).

4.6. Minimising the risk of exposure to asbestos

To minimise the risk of exposure to asbestos for residents, visitors, staff and contractors, a programme of actions will be undertaken based on the risk assessment

5. Communication with residents

Where asbestos containing materials are found within properties, the tenants will be advised in writing. They will be advised of the location of the ACM and whether it is practicable to remove or manage in place.

6. Communication with contractors

Contractors will be advised of the location of ACMs where known. Access will be provided for them view the surveys online.

7. Training

The person responsible for the management of asbestos will be trained to a minimum of the British Occupational Hygiene Society (BOHS) P405: 'The Management of Asbestos in Buildings'.

Asbestos awareness training will be provided for all staff involved with the management of asbestos. This training will be repeated periodically.

All contractors will be required to have received asbestos awareness training.

8. Contact

For any queries related to this policy, please contact Roger Barton – roger.barton@womenspioneer.co.uk